



PROJECTION SCREENS

Mobile - Stationary - Made to measure

SCREENS



06/2008 - ENGLISH

REALIZE YOUR VISION



PROJECTION SCREENS

Introduction - AV Stumpfl Systems

MOTTO

Anyone who wants to show large images and effectively communicate their virtual messages, will be delighted about our high-quality projection screens.

MOBILE PROJECTION SCREENS

Our mobile projection screens guarantee superb picture quality and independence from local facilities. Sharpness and brilliance all over the screen are your steady companions through your slide, video and data projections. This program focuses on individuality – just like you.

Based on different requirements we basically offer two main systems:

monoblox  [®]

The single-piece system **MONOBLOX** has been tried and tested by rental companies in professional applications all over the world, in particular where ease and speed in setting up and disassembling are important.

vario  [™]

The modular building-block frame system **VARIO** is a guarantee for high flexibility. A useful combination between plug-in and folding elements allows you to use one basic frame for a variety of different screen formats.

STATIONARY PROJECTION SCREENS

On a stationary projection screen the images are expected to be large, brilliant and effective. When it is no longer needed, it should become invisible. This is why we have developed our roll-up systems.

inline  [™]

With system **INLINE** the lower screen edge disappears into the case until it is level with it. It combines high functionality and attractive appearance.

magnum  [™]

System **MAGNUM** stands for projection screens designed for large conference halls. They are made of an aluminum/steel construction and their specially designed bearings and safety catch meet high demands on operating safety.

decoframe  [™]

System **DECOFRAME** offers high-quality frame projection screens for home movie environments and permanent installations in exhibitions and museums.

PROJECTION SCREENS

Novelties and Special Solutions

NOVELTIES

Screen Material

- » INVISNAP™ - Applied for a patent, this new way of mounting the screen surface offers a level projection screen without visible snap fastener heads. Sturdy workmanship make this system fit for the extremely high demands of rental & staging business. (Image right)
- » SEAMLESS OPTIC™ - A special welding procedure achieves a homogenous display area for rear projection material without any irritating seams.
- » Micro-perforated projection material for installations permeable to sound - a perfect solution for home cinema.
- » Additional standard sizes for MONOBLOX 32 and MONOBLOX 64 are available.

MONOBLOX and VARIO

- » On demand, frame and legs are available anodized in black.
- » Improved snap-joints through optimized profile contours and surface hardening.

Inline Motor Inline Self-RollUp

- » Our INLINE 90 series is equipped with an extremely silent tube motor as a standard component.
- » The new mechanical system allows continuous positioning and decelerated reverse motion.


Magnum

- » From a size of 800 x 500 cm and up, large projection screens are manufactured to fit into protective casing MAGNUM 360, thus ensuring flatness of the screen.
- » The MAGNUM 360 system uses safety motor "Elektromat" with integrated safety catch mechanism and double limit switches.

SPECIAL SOLUTIONS AND CUSTOM MADE

Individualism as opposed to conventions – We stick to the principle of producing custom-made screens to order as required for the individual projection applications. We use only those high-quality components and screen materials we also offer in our various system programs.

- » CURVED SCREENS - bent projection screens for multidisplay applications
- » Screen material with eyelets for mobile applications and events
- » Wide choice of projection materials and border variants





MONOBLOX

Snap Joints
Easy Setup

Combine our tried and tested frame system with the stable, smoothly moving and automatically engaging snap joints and the result is a single-piece frame. This system is excellent for applications which require the frame to be set up as easily and quickly as possible. Individual parts cannot get lost or be mixed up. This system is ideal for rental companies.

SPECIAL FEATURES



MONOBLOX 32


- » Compact pack size through its single-piece frame
- » 32 x 32 mm profile (1¼"x1¼"), formats from 203 x 157 cm to 508 x 386 cm (6'8"x5'2" up to 16'8"x12'8")
- » Automatically engaging snap joints allow the frame to be easily set up and dismantled.
- » Top-quality screen material for front or rear projection
- » No tools needed
- » Shear joints at the inside provide stability.
- » The screen material can quickly and reliably be attached to the frame.
- » True Aspect Ratio (4:3, 16:9, etc.)
- » On demand, frame and legs are available anodized in black.
- » 5 years' warranty



Various types of supporting legs and transport cases - MONOBLOX 32 is supplied with T32 legs as standard components. To meet the high demands on the stability of very high frames or mounting heights we recommend AT32, AT32/64 or AT64 supporting legs.

As an alternative to our transport bags we also offer sturdy and stackable transport cases with rollers.





MONOBLOX

MONOBLOX 32 - Monoblox 64



SPECIAL FEATURES

Singletube

The professional frame system for large-scale projection. This single-tube frame system offers optimal operating convenience combined with small pack size and truss stability. Additional stabilizing elements at the joints and reinforced corner joints provide even higher stability to this sturdy system. System MONOBLOX 64 can be combined with the same range of high-quality screen material for front and rear projection that is used for all the other systems.

MONOBLOX 64

- » Clever folding technique for compact pack size
- » 64 x 32 mm cross section (2½" x 1¼")
- » Formats from 325 x 249 cm to 752 x 569 cm (10'8" x 8'2" up to 24'8" x 18'8")
- » Stabilizers provide for optimum power transmission in the joints. ³
- » True Aspect Ratio (4:3, 16:9, etc.)
- » Additional corner locks lend extra stability to large-scale projection screens. ²
- » Flatly folding vertical joints improve stability. ⁴
- » On demand, frame and legs are available anodized in black.
- » 5 years' warranty

One for two purposes - System Monoblox 64 frames can be converted into the standard formats 4:3 and 16:9 only by exchanging the vertical elements.

Legs - Monoblox64 is supplied with AT 32/64 supporting legs as standard components.

"Flying Screen" - For suspension purpose mobile projection screens are provided with eye bolts as an option. ¹





VARIO

One Basic Frame
Adaptable

A useful combination between plug-in and folding elements allows you to use one basic frame for a variety of different screen formats. You only need the corresponding screen material and the necessary supplementary components. You can extend your existing frame and need not buy a completely new projection screen.

SPECIAL FEATURES

VARIO 32

- » Projection screen with a compact pack size ¹
- » 32 x 32 mm cross section (1¼" x 1¼")
- » Formats from 78 x 78 cm to 900 x 300 cm (~30x30" up to 29.5' x 9'10")
- » One single base frame can be used for any projection screen size.
- » Fold up and join the marked aluminum frame elements ²
- » The foldable legs are ready to be mounted, with just one flick of the wrist.
- » Fast and reliable attachment of the screen material without any greases. ³
- » No tools needed
- » On demand, frame and legs are available anodized in black.
- » 5 years' warranty

Various types of supporting legs and transport cases - VARIO 32 is supplied with T32 supporting legs as standard components. To meet the high demands on the stability of very high frames or mounting heights we recommend AT32, AT32/64 or AT64 supporting legs. As an alternative to our transport bags we also offer sturdy and stackable transport cases with rollers.

"Flying Screen" - For suspension purposes, VARIO 32 and VARIO 64 are provided with eye bolts as an option. The plug-in connections are additionally secured with screws. ⁴



VARIO 64



vario 64™

Large mobile projection screens are highly demanding as regards their stability. Our system VARIO 64 offers the required high level of stability at an excellent price/performance ratio.

This sturdy frame system enables you to set up stable and self-supporting frames of up to 7 m (23'). For larger span widths additional central supports add stability thus allowing image widths of more than 25 m (82').

VARIO 64

- » Projection screen with a compact pack size ¹
- » 64 x 32 mm cross section (2½" x 1¼"), formats from 210 x 210 cm (6'11" x 6'11")
- » Fold up and join the marked aluminum frame elements ²
- » The foldable legs are ready to be mounted, with just one flick of the wrist
- » Fast and reliable attachment of the screen material without any greases. ³
- » No tools needed
- » On demand, frame and legs are available in anodized in black.
- » 5 years' warranty

COMPATIBILITY OF VARIO64 WITH VARIO32

The reinforced frame system VARIO 64 for large-scale projections is fully compatible with VARIO 32. The distances between the snap fasteners are identical for both profiles, i.e. you can use the screen material both for VARIO 32 and for the reinforced frame of VARIO 64.



The modular design of systems VARIO 32 and VARIO 64 allows the supporting legs only to be screwed to the frame at the lower corner elements. For optimal use of the stabilizing effect of supporting legs AT32, AT32/64 and AT64, we recommend using special connectors.


System VARIO 64 is supplied with special connectors as standard components.



Various types of supporting legs and transport cases -

VARIO 64 is supplied with AT 32/64 supporting legs as standard components. To meet the high demands on the stability of very high frames or mounting heights we recommend AT64 supporting legs.

As an alternative to our transport bags we also offer sturdy and stackable transport cases with rollers.



DECOFRAME

Stylish Frame Projection Screen

decoframe  tm

DECOFRAME

Custom-Made

Just like an exquisite picture frame, our DECOFRAME System gives an elegant and professional appearance to your home movie, conference room or any other permanent installation. Easily mounted and custom-made in the size of your choice.

SPECIAL FEATURES

DECOFRAME

- » Individual image format
- » Profile width 80 mm (3.15"), profile depth 50 mm (1.97")
- » Accurate border around the area of the projected image ¹
- » The screen material is provided with plastic hooks and is hooked on to the frame. ²
- » The frame is anodized in black and forms a perfect basis for level and creaseless attachment of the screen material. ³
- » Screen formats exceeding 5 m x 3.5 m (16' x 11.5') are provided with bracing.
- » Optional: Micro-perforated projection material FLEX WHITE CI micro which is permeable to sound
- » The DECOFRAME is delivered as a folded frame. The screen material is rolled up for delivery, Thus ensuring an absolutely flat projection surface.



SUCCESS STORIES

Fields of Application



EVENTWORLD AUSTRIA

Meeting for eventmarketing and communications experience. Rear projection screen with 1200 x 400 cm and performed with multimedia presentation software Wings Platinum von AV Stumpfl.



AV STUMPFL GOES HOLLYWOOD WORLD STUNT AWARD, L.A.

The Taurus Award will be presented each year in Los Angeles to the best stunt people for their outstanding performances in cinema films.

VARIO projection screen



RAIFFEISEN NEW YEARS RECEPTION

Mobile projection screens: one VARIO 64 and two VARIO 32

MEDIA FESTIVAL 2007 IN VILLINGEN-SCHWENNINGEN

Mobile projection screen VARIO 64, 1800 x 500 cm with 90 m² image



GRENZGANG - TIEF IN AFRIKA

"Deep in Africa" - Photojournalist Hartmut Fiebig held an emotional presentation of his Journey through East Africa; Big screen MONOBLOX 64

ANDRÉ RIEU WORLD STADIUM TOUR

Famous violin player with orchestra enthralls the audience worldwide.

Mobile projection screens MONOBLOX 64





AV Stumpfl

Corporate Philosophy - Presentation Technology

WHAT MAKES AV STUMPFL PRODUCTS SO FASCINATING?

Reinhold Stumpfl, CEO

Stumpfl AV, which used to focus on electronics for slide projection in the beginning, was founded nearly 30 years ago. Soon we realized, that only a large picture is capable of really impressing people by its message. This gave rise to great enthusiasm which resulted in the production of our projection screens, manufactured by means of high-quality tools and machinery partly developed by ourselves.

The fact that we meet with high international acceptance is a great honour to us, and a challenge to continue along this path.

Offering customized solutions to meet our customers' individual needs is the challenge we are determined to face. We want you to be enthused about the quality of our products!

WINGS PLATINUM



Wings Platinum is a tool for show creation and control that offers a multitude of options and provides for maximum freedom - the basis for creative and impressive shows.

Use Wings Platinum to structure your projects and keep an overview. This award-winning software offers extensive media integration. Anything that can be presented or controlled in some way, can easily be arranged, edited, controlled and presented with Wings Platinum. Operation will seem to you unbeatably simple and intuitive.

In Wings Platinum, the audio visual components and the control elements are managed on a timeline. The status of peripheral devices can be recognized at any point of time and the devices be synced up accurately with the frame.

Infinite Resolution

Wings Platinum supports all major image and video formats and unlimited resolution.

Multidisplay

In Multidisplay mode several display units are arranged freely and aligned via seamless softedge technology. This impressive and creative freedom is further supplemented

Seamless Softedge

by Warping which allows projections on a multitude of differently shaped projection surfaces

Warping

wings platinum **3**®

AV Stumpfl's Awards Timeline



Creative productions require outstanding tools.
Put your visions professionally into practice.

Unique products for unique ideas - based on the know-how collected in more than 30 years.



AV Stumpfl GmbH | A-4702 Wallern | Mitterweg 46 | AVstumpfl@AVstumpfl.com | www.AVstumpfl.com
We grant two years warranty. We reserve the right to make modifications in the interest of technical progress